

Notice of Allowability

Application No.

10/629,332

Examiner

Elias Desta

Applicant(s)

LILBURN ET AL.

Art Unit

2857

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed on 2/11/2005.
2. ☒ The allowed claim(s) is/are 1-43.
3. ☒ The drawings filed on 29 July 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


PATRICK ASSOUD
PRIMARY EXAMINER

Detailed Action

Response to Amendment

Specification

1. The Examiner accepts the amendment to the specification.

Claim

2. The Examiner accepts the amendment to Claims 9, 10 and 33. Applicant's remark with respect to 'Examiner's statement of reasons for allowance' is acknowledged. The Examiner would like to thank the Applicant for pointing out the typographical error noted in Figiel patent. Accordingly, the patent number is now corrected.

Allowance

3. Claims 1-43 are allowed. The following is an examiner's statement of reasons for allowance:

In reference to claims 1 and 26, Figiel (U.S. Patent 6,567,720) teaches method and apparatus for time synchronized measurement correction of multi-dimensional periodic effect on a moving web of paper (see Figiel, Figs. 1, 2 and 7-9). The system includes signal-processing units (see Figiel, Fig. 1, units 40 and 44) and measurement control unit (see Figiel, Fig. 1, unit 50). However, the system does

Art Unit: 2857

not include statistical analysis module and the parameter measurement does not show having a periodic variations within a controllable frequency of the machine.

Unlike *Figiel*, the claimed invention further provides that the statistical data analysis module is capable of being executed by the processor to analyze the measurement data and estimate a target shift in at least one quality parameter that could be made if the controllable variations were removed.

The remaining claims are dependent upon claims 1 and 26 and contain further limitations.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elias Desta whose telephone number is (571)-272-2214. The examiner can normally be reached on M-Thu (8:30-7:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc S. Hoff can be reached on (571)-272-2216. The fax phone numbers for the organization where this application or proceeding is assigned are (703)-872-9306 for regular communications and After Final communications.

Art Unit: 2857

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571)-272-1750.

Elias Desta
Examiner
Art Unit 2857

-ed

April 25, 2005

A handwritten signature in black ink, appearing to read 'Patrick Assouad', written in a cursive style.

**PATRICK ASSOUD
PRIMARY EXAMINER**